L Number	Hits	Search Text	DB	Time stamp
1	69905	(print$4 or record$4) and (carriage$1 or carrier$1) and (slid$4 or scan$4 or mov$4) and (head$1 or printhead$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/09 10:50
2	5475	((print$4 or record$4) and (carriage$1 or carrier$1) and (slid$4 or scan$4 or mov$4) and (head$1 or printhead$1)) and ((head$1 or printhead$1) same (gap$4 or distance) same (medium or media or platen or convey))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/09 10:26
3	1401	(((print$4 or record$4) and (carriage$1 or carrier$1) and (slid$4 or scan$4 or mov$4) and (head$1 or printhead$1)) and ((head$1 or printhead$1) same (gap$4 or distance) same (medium or media or platen or convey))) and ((head$1 or printhead$1) same (gap$4 or distance) same (medium or media or platen or convey) same (adjust$4 or chang$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/09 10:27
4	850	((((print$4 or record$4) and (carriage$1 or carrier$1) and (slid$4 or scan$4 or mov$4) and (head$1 or printhead$1)) and ((head$1 or printhead$1) same (gap$4 or distance) same (medium or media or platen or convey))) and ((head$1 or printhead$1) same (gap$4 or distance) same (medium or media or platen or convey) same (adjust$4 or chang$4))) and ((head$1 or printhead$1) same ((adjust$4 or chang$4) with (gap$4 or distance)) same (medium or media or platen or convey))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/09 10:28
5	157	(((((print$4 or record$4) and (carriage$1 or carrier$1) and (slid$4 or scan$4 or mov$4) and (head$1 or printhead$1)) and ((head$1 or printhead$1) same (gap$4 or distance) same (medium or media or platen or convey))) and ((head$1 or printhead$1) same (gap$4 or distance) same (medium or media or platen or convey) same (adjust$4 or chang$4))) and ((head$1 or printhead$1) same ((adjust$4 or chang$4) with (gap$4 or distance)) same (medium or media or platen or convey))) and ((head$1 or printhead$1) same ((adjust$4 or chang$4) with (gap$4 or distance)) same (medium or media or platen or convey) same (lever$1 or arm$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/09 10:29
6	84	((((((print$4 or record$4) and (carriage$1 or carrier$1) and (slid$4 or scan$4 or mov$4) and (head$1 or printhead$1)) and ((head$1 or printhead$1) same (gap$4 or distance) same (medium or media or platen or convey))) and ((head$1 or printhead$1) same (gap$4 or distance) same (medium or media or platen or convey) same (adjust$4 or chang$4))) and ((head$1 or printhead$1) same ((adjust$4 or chang$4) with (gap$4 or distance)) same (medium or media or platen or convey))) and ((head$1 or printhead$1) same ((adjust$4 or chang$4) with (gap$4 or distance)) same (medium or media or platen or convey) same (lever$1 or arm$1))) and (sens$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/09 10:38

7	102	(((((((print$4 or record$4) and (carriage$1 or carrier$1) and (slid$4 or scan$4 or mov$4) and (head$1 or printhead$1)) and ((head$1 or printhead$1) same (gap$4 or distance) same (medium or media or platen or convey))) and ((head$1 or printhead$1) same (gap$4 or distance) same (medium or media or platen or convey) same (adjust$4 or chang$4))) and ((head$1 or printhead$1) same ((adjust$4 or chang$4) with (gap$4 or distance)) same (medium or media or platen or convey))) and ((head$1 or printhead$1) same ((adjust$4 or chang$4) with (gap$4 or distance)) same (medium or media or platen or convey) same (lever$1 or arm$1))) and (sens$4 or detect$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/09 10:50
9	62	(((((((print$4 or record$4) and (carriage$1 or carrier$1) and (slid$4 or scan$4 or mov$4) and (head$1 or printhead$1)) and ((head$1 or printhead$1) same (gap$4 or distance) same (medium or media or platen or convey))) and ((head$1 or printhead$1) same (gap$4 or distance) same (medium or media or platen or convey) same (adjust$4 or chang$4))) and ((head$1 or printhead$1) same ((adjust$4 or chang$4) with (gap$4 or distance)) same (medium or media or platen or convey))) and ((head$1 or printhead$1) same ((adjust$4 or chang$4) with (gap$4 or distance)) same (medium or media or platen or convey) same (lever$1 or arm$1))) and (sens$4)) and ((range or distance) same (slid$4 or scan$4 or mov$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/09 10:51
10	48	((((((((print$4 or record$4) and (carriage$1 or carrier$1) and (slid$4 or scan$4 or mov$4) and (head$1 or printhead$1)) and ((head$1 or printhead$1) same (gap$4 or distance) same (medium or media or platen or convey))) and ((head$1 or printhead$1) same (gap$4 or distance) same (medium or media or platen or convey) same (adjust$4 or chang$4))) and ((head$1 or printhead$1) same ((adjust$4 or chang$4) with (gap$4 or distance)) same (medium or media or platen or convey))) and ((head$1 or printhead$1) same ((adjust$4 or chang$4) with (gap$4 or distance)) same (medium or media or platen or convey) same (lever$1 or arm$1))) and (sens$4)) and ((range or distance) same (slid$4 or scan$4 or mov$4))) and ((range or distance) with (slid$4 or scan$4 or mov$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/09 10:52

11	29	((((((((print$4 or record$4) and (carriage$1 or carrier$1) and (slid$4 or scan$4 or mov$4) and (head$1 or printhead$1)) and ((head$1 or printhead$1) same (gap$4 or distance) same (medium or media or platen or convey))) and ((head$1 or printhead$1) same (gap$4 or distance) same (medium or media or platen or convey) same (adjust$4 or chang$4))) and ((head$1 or printhead$1) same ((adjust$4 or chang$4) with (gap$4 or distance)) same (medium or media or platen or convey))) and ((head$1 or printhead$1) same ((adjust$4 or chang$4) with (gap$4 or distance)) same (medium or media or platen or convey) same (lever$1 or arm$1))) and (sens$4)) and ((range or distance) same (slid$4 or scan$4 or mov$4))) and ((range or distance) with (slid$4 or scan$4 or mov$4))) and 347/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/09 11:08
13	19	(((((((((print$4 or record$4) and (carriage$1 or carrier$1) and (slid$4 or scan$4 or mov$4) and (head$1 or printhead$1)) and ((head$1 or printhead$1) same (gap$4 or distance) same (medium or media or platen or convey))) and ((head$1 or printhead$1) same (gap$4 or distance) same (medium or media or platen or convey) same (adjust$4 or chang$4))) and ((head$1 or printhead$1) same ((adjust$4 or chang$4) with (gap$4 or distance)) same (medium or media or platen or convey))) and ((head$1 or printhead$1) same ((adjust$4 or chang$4) with (gap$4 or distance)) same (medium or media or platen or convey) same (lever$1 or arm$1))) and (sens$4)) and ((range or distance) same (slid$4 or scan$4 or mov$4))) and ((range or distance) with (slid$4 or scan$4 or mov$4))) not (((((((((print$4 or record$4) and (carriage$1 or carrier$1) and (slid$4 or scan$4 or mov$4) and (head$1 or printhead$1)) and ((head$1 or printhead$1) same (gap$4 or distance) same (medium or media or platen or convey))) and ((head$1 or printhead$1) same (gap$4 or distance) same (medium or media or platen or convey) same (adjust$4 or chang$4))) and ((head$1 or printhead$1) same ((adjust$4 or chang$4) with (gap$4 or distance)) same (medium or media or platen or convey))) and ((head$1 or printhead$1) same ((adjust$4 or chang$4) with (gap$4 or distance)) same (medium or media or platen or convey) same (lever$1 or arm$1))) and (sens$4)) and ((range or distance) same (slid$4 or scan$4 or mov$4))) and ((range or distance) with (slid$4 or scan$4 or mov$4))) and 347/$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/09 11:10

| 14 | 14 | ((((((((print$4 or record$4) and (carriage$1 or carrier$1) and (slid$4 or scan$4 or mov$4) and (head$1 or printhead$1)) and ((head$1 or printhead$1) same (gap$4 or distance) same (medium or media or platen or convey))) and ((head$1 or printhead$1) same (gap$4 or distance) same (medium or media or platen or convey) same (adjust$4 or chang$4))) and ((head$1 or printhead$1) same ((adjust$4 or chang$4) with (gap$4 or distance)) same (medium or media or platen or convey))) and ((head$1 or printhead$1) same ((adjust$4 or chang$4) with (gap$4 or distance)) same (medium or media or platen or convey) same (lever$1 or arm$1))) and (sens$4)) and ((range or distance) same (slid$4 or scan$4 or mov$4))) not (((((((((print$4 or record$4) and (carriage$1 or carrier$1) and (slid$4 or scan$4 or mov$4) and (head$1 or printhead$1)) and ((head$1 or printhead$1) same (gap$4 or distance) same (medium or media or platen or convey))) and ((head$1 or printhead$1) same (gap$4 or distance) same (medium or media or platen or convey) same (adjust$4 or chang$4))) and ((head$1 or printhead$1) same ((adjust$4 or chang$4) with (gap$4 or distance)) same (medium or media or platen or convey))) and ((head$1 or printhead$1) same ((adjust$4 or chang$4) with (gap$4 or distance)) same (medium or media or platen or convey) same (lever$1 or arm$1))) and (sens$4)) and ((range or distance) same (slid$4 or scan$4 or mov$4))) and ((range or distance) with (slid$4 or scan$4 or mov$4))) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/09/09 11:13 |
| 15 | 40 | ((((((((print$4 or record$4) and (carriage$1 or carrier$1) and (slid$4 or scan$4 or mov$4) and (head$1 or printhead$1)) and ((head$1 or printhead$1) same (gap$4 or distance) same (medium or media or platen or convey))) and ((head$1 or printhead$1) same (gap$4 or distance) same (medium or media or platen or convey) same (adjust$4 or chang$4))) and ((head$1 or printhead$1) same ((adjust$4 or chang$4) with (gap$4 or distance)) same (medium or media or platen or convey))) and ((head$1 or printhead$1) same ((adjust$4 or chang$4) with (gap$4 or distance)) same (medium or media or platen or convey) same (lever$1 or arm$1))) and (sens$4 or detect$4)) not (((((((((print$4 or record$4) and (carriage$1 or carrier$1) and (slid$4 or scan$4 or mov$4) and (head$1 or printhead$1)) and ((head$1 or printhead$1) same (gap$4 or distance) same (medium or media or platen or convey))) and ((head$1 or printhead$1) same (gap$4 or distance) same (medium or media or platen or convey) same (adjust$4 or chang$4))) and ((head$1 or printhead$1) same ((adjust$4 or chang$4) with (gap$4 or distance)) same (medium or media or platen or convey))) and ((head$1 or printhead$1) same ((adjust$4 or chang$4) with (gap$4 or distance)) same (medium or media or platen or convey) same (lever$1 or arm$1))) and (sens$4)) and ((range or distance) same (slid$4 or scan$4 or mov$4))) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/09/09 11:13 |